

Date: Wednesday, 4/5/2006 3:29:46 PM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : SADDLE FITTING, AFT (OUTBOARD/INBOARD)
Job Number : 26562	
Estimate Number : 10533	
P.O. Number : N/A	Part Number : D2573
This Issue : 4/5/2006 S.O. No. : N/A	Drawing Number : D2573 REV E
Prsht Rev. : NC	Project Number : N/A
First Issue : N/A Type : MACHINED PARTS	Drawing Revision : E
Previous Run : 26498	Material : N/A
Written By : <i>SKH</i> COMMENT: Bdw	Due Date : 4/24/2006 Qty: 4 Um: Each
Checked & Approved By : <i>SKH</i> 06.04.06	
Comment : Est: I As Per RevE 06-01-27 JLM	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	D6101007	7075-T7351 8.25X7.75X2.5
-----	----------	--------------------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 4.0000 Each(s)
 7075-T7351 8.25X7.75X2.5
 Make from D6101-007 billet for D2573
 Ensure that grain is along 7.75" length
 Batch No: *321802*

SKH *06/05/02 x4*

2.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------



Comment: HAAS CNC VERTICAL MACHINING #1
 Program Batch No. *36560* Double check by: *SKH*

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets
 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets
 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets
 4-Deburr and remove all machining marks
 5-Tumble to remove sharp edges.

SKH *06/05/02 x4*

3.0	MILLING CONV.	CONVENTIONAL MILLING MACHINE
-----	---------------	------------------------------



Comment: CONVENTIONAL MILLING MACHINE
 Machine keyway as per dwg D2573 & D2574

SKH *06/05/02 x4*

4.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SKH *06/05/02 x4*

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☐ No ☒ DQA: ☒ Date: 06/05/11
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Wednesday, 4/5/2006 3:29:47 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD)

Job Number: 26562

Part Number: D2573

Job Number:



Seq. #: Machine Or Operation: Description :

5.0

QC8

SECOND CHECK



Comment: SECOND CHECK

SD 06.05.08 4

6.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Acid etch and Alodine as per QSI 005 4.1

SAD 06.05.09 (4)

7.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

a-m 06-05-09

(4)

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT

FL 06 05 09

(4)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: 2T480

SR 06/05/10 4

10.0

DC

DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Inspection Level 21



06/05/11

(4)

Job Completion



W 060511

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	26562
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	1	2	3	4		
A	0.438	0.443	DT8682	0.440	0.438	0.438	0.438		
B	1.745	1.755		1.746	1.749	1.747	1.747		
C	3.495	3.505		3.498	3.497	3.500	3.501		
D	1.745	1.755		1.746	1.749	1.747	1.747		
E	7.990	8.010		8.002	8.005	8.005	8.005		
F	0.490	0.510		0.502	0.493	0.497	0.493		
G	0.257	0.262	DT8683	0.258	0.258	0.258	0.258		
H	0.375	0.380	DT8684	0.376	0.375	0.375	0.375		
I	0.490	0.510		0.502	0.499	0.501	0.497		
J	1.174	1.184		1.178	1.175	1.175	1.175		
K	0.558	0.578		0.569	0.563	0.564	0.562		
L	1.174	1.184		1.177	1.175	1.175	1.175		
M	1.365	1.375		1.369	1.366	1.365	1.367		
N	2.495	2.505		2.501	2.498	2.496	2.495		
O	4.119	4.129		4.119	4.122	4.121	4.122		
P	0.115	0.135		0.121	0.121	0.122	0.120		
Q	0.115	0.135		0.130	0.135	0.135	0.135		
R	0.240	0.260		0.243	0.250	0.252	0.251		
S	0.115	0.135		0.122	0.121	0.118	0.118		
T	0.178	0.198		0.188	0.188	0.189	0.188		
U	3.210	3.250		3.230	3.232	3.230	3.230		
V	0.230	0.250		0.241	0.230	0.234	0.235		
W	0.115	0.135		0.119	0.126	0.127	0.127		
X	0.308	0.313		0.311	0.310	0.310	0.310		
Y	0.760	0.765		0.765	0.765	0.765	0.765		
Z	0.352	0.372		0.371	0.367	0.362	0.364		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.631	0.633	0.633	0.628		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.244	0.241	0.245	0.243		
AE	1.500	1.520		1.508	1.512	1.513	1.510		
AF	0.115	0.135		0.132	0.135	0.135	0.135		
AG	0.240	0.280		0.260	0.260	0.260	0.260		
AH	0.240	0.260		0.244	0.248	0.248	0.249		
AI	2.000	2.020		2.000	2.002	2.003	2.000		
AJ	0.023	0.043		0.033	0.030	0.030	0.030		
Accept/Reject									






Measured by:	S.G./JP
Date:	06/05/03

Audited by:	J.L.
Date:	06/05/05

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.26	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

05.12.06

MATERIAL: 7075-T7351 (QQ-A-250/12)
(REF DART SPEC. D6102-001)
FINISH: ACID ETCH, ALODINE PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER
DART QSI 005 4.3
BREAK ALL SHARP EDGES 0.010 TO 0.020
TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

- | | |
|---|--|
|  | ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX DEPTH OF 0.010 |
|  | ENGRAVE DART LOGO TO MAX DEPTH OF 0.015 WITH MIN RAD 0.125 |
|  | CHAMFER 0.063" x 45° AROUND THIS SURFACE (TYPICAL 2 PLACES) |
|  | CHAMFER 0.063" x 45° ALL AROUND |
|  | CHAMFER 0.033" x 45° (SEE DETAIL C) |

00 ✓ 0.000

VIEW B-B

1.73

0.20

2

R0.66 (TYP)

R0.50 (TYP)




DART

1.750 ±0.005

3.500 ±0.005

1.750 ±0.005

8.000

E	05.07.13	ADD CHAMFER ON RIDGE NOTE 5
D	02.09.06	ADD RIDGES; TIGHTEN TOLERANCES
C	99.10.22	INCORP. DEO 9123/9079/9102 ADD DIMENSIONS PER TSR A1177
B	96.12.02	ADD GRAIN DIR., 0.438 WAS 0.425
A	96.09.16	NEW ISSUE.
DESIGN		DRAWN BY
DS	PH	
HARRISBURY, ONTARIO, CANADA		DART AEROSPACE LTD.
CHECKED	APPROVED	DRAWING NO.
		D2573
DATE	TITLE	
05.07.13	OUTER AFT SADDLE	
REV.:		SCALE
SHEET 1 OF		2:

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
AND IS SUPPLIED ON THE EXPRESS CONDITION
THAT IT IS NOT TO BE USED FOR ANY PURPOSE
OR COPIED OR COMMUNICATED TO ANY OTHER
PERSON WITHOUT WRITTEN PERMISSION FROM
DART AEROSPACE LTD.

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 26562